Work Plan for Columbia/Snake Temperature TMDL Idaho, Oregon, Washington and EPA Region 10 March 2001

Draft/Pre-decisional/March 19, 2001

Organization

Section	<u>Page</u>
Cover Page Key Dates Work completed by December 31, 2001 Introduction Modeling Assessment Problem Assessment	1 2 3 4 6
Numerical Targets Loading Capacity and Allocations State Implementation Plan Public Participation	9 10 11 12



Key Dates

April 1, 2001

· Written Communication and Collaboration Strategy.

April 15, 2001

- Final Report, "Columbia River Temperature Assessment: Simulation Methods"
- Peer Review Comments and Responses
- · CD with the model and supporting documentation
- Paper on the use of a 1 dimensional model for the TMDL

May 15, 2001

 Simulations of water temperature to support development of the Problem Assessment, the Numerical Targets for the TMDL, the Loading Capacity and the Load and Waste Load Allocations.

May/June, 2001

Public Workshop on the Water Quality Modeling

June 30, 2001

- Written Problem Assessment for public review.
- · Written report on Numerical Targets for public review.

July/August, 2001

Public Workshop on the Problem Assessment and Numerical Targets

September 1, 2001

• Written report on Loading Capacity and Allocations for public review.

Sept/October, 2001

Public Workshop on the Loading Capacity and Allocations

October 1, 2001

Written State Implementation Plan for public review.

November/December, 2001

Public Workshop on the State Implementation Plan

February 1, 2002

· Draft TMDL for public comment.

March, 2002

Public Meetings on the Draft TMDL

June 15, 2002

· Final TMDL

Work Completed by December 31, 2001

Draft Components of the TMDL to be Completed and Receive Public Input by December 31, 2001

Problem Assessment;
Numerical targets;
Loading Capacities and Allocations;
State Implementation Plan.

To be Completed in 20001

Draft TMDL for Public Comment

March, 2002
Public Meetings on the Draft TMDL

June 15, 2002 Final TMDL

Introduction

The States of Idaho, Oregon and Washington and EPA Region 10 are working in coordination with the Colville Confederated Tribes and the Spokane Tribe of Indians to develop Total Maximum Daily Loads (TMDL) for Temperature and Total Dissolved Gas (TDG) on the Columbia and Snake Rivers. A TMDL for a water body is a document that identifies the amount of a pollutant that the water body can receive and still meet Water Quality Standards. It also allocates responsibility for reductions in the pollutant load that are necessary to achieve WQS. A TMDL is required by the Clean Water Act for any stream reaches included by States or Tribes on their lists of impaired waters required under Section 303(d) of the Clean Water Act. Impaired waters are those that do not attain State or Tribal Water Quality Standards (WQS). Oregon, Idaho, and Washington included the Snake River from its confluence with the Salmon River at RM 188 to its confluence with the Columbia on their 303(d) list of impaired waters for Temperature and TDG. Oregon and Washington included all of the Columbia River on their 303(d) lists for Temperature. The Columbia River also exceeds the WQS of the two Tribes for Temperature and TDG.

The States are responsible for developing TMDLs for waters included on their 303(d) lists. EPA and the Tribes share responsibility for developing TMDLs on Tribal lands. EPA also oversees the entire 303(d)/TMDL process with responsibility for approving or disapproving 303(d) lists and TMDLS. If EPA disapproves a State TMDL, EPA is required to develop a TMDL to replace the disapproved one. EPA, the three States and two Tribes have agreed to work together to develop the TMDLs for Temperature and TDG because of the regional significance of the Snake and Columbia Rivers, the complex nature of interjurisdictional TMDLs and the fact that they all have major roles in the overall process.

The agreement to jointly develop the TMDLs for Temperature and TDG is laid out in a Memorandum of Agreement dated October 16, 2000. The TMDLs will include that portion of the Snake River beginning at the mouth of the Salmon River (RM 188) and extending to the confluence of the Snake River with the Columbia River. The TMDLs will include all of the Columbia River that is located in the United States, including Lake Roosevelt. The agreement stipulates that EPA will take the lead for developing the Temperature TMDL for both rivers and the TDG TMDL for waters within the reservations of the two tribes and the States will take the lead for developing the TDG TMDL for the rest of the two rivers. The parties will support each other in the collection of data, technical considerations and policy decisions, and public participation.

This work plan addresses development of the Temperature TMDL. It describes the 6 major tasks which together lead to development of the final Temperature TMDL. It identifies the roles of the States, Tribes and EPA in accomplishing the tasks and it lists products and proposed due dates for each product.

The six tasks addressed in this work plan are:

- 1. Modeling Assessment;
- 2. Problem Assessment;
- 3. Numerical Targets;
- 4. Loading Capacity and Allocations
- 5. Implementation Plan
- 6. Public Participation

The first five tasks of this work plan will result in discreet products that will make up the bulk of the TMDL. They are listed in the sequence in which they must be developed, each product essential to the development of the succeeding products. Each of these first five tasks will involve significant technical and policy decisions for which we must engage the public and specific interested groups. Task 6, Public Participation, is the process through which we will communicate and coordinate with the general public and interested groups through each of the first five tasks and for the TMDL as a whole.

The Clean Water Act, implementing regulations and guidance require that TMDLs include the following components:

- · Scope of TMDL;
- · Applicable Water Quality Standards and Numeric Targets;
- · Pollutant Source Analysis;
- · Linkage Between Pollutant Loading and In Stream Response;
- · Loading Capacity;
- · Wasteload Allocations;
- Load Allocations:
- · Margin of Safety;
- · Seasonal variation;
- · Monitoring Plan;
- · Implementation Plan;
- · Reasonable assurance (if the WLAs depend on LAs);
- · Public Participation.

Each of these essential elements of a TMDL will be developed as part of one of the six tasks in this work plan.

The following sections describe the six tasks in detail, identify the required parts of a TMDL that will be included in each task, describe the roles of the States, Tribes and EPA in accomplishing the task and lists products and proposed due dates for each product.

Modeling Assessment Reach by Reach:

Description

The water quality modeling of water temperature in the mainstem of the Columbia and Snakes Rivers is the first critical task that will be completed and shared with the public and interested groups. The model is the analytical tool that will be used to complete much of the work in the subsequent tasks. It will be used to simulate the current temperature regime at each dam and selected reaches of the river. It will be used to simulate what temperature would be at each dam location and river reach if the dams were not present. It will be used to analyze the effects of the tributaries, NPDES dischargers and other sources on water temperature. It is important that the model is appropriate for the task and that it can be utilized with the quantity and quality of input data that we have available. Since the modeling is critical to the whole rest of the TMDL development process, it is important that we share it with the public and interested groups, listen to their feedback and alter the model, as appropriate, to reflect new information. EPA completed much of the model development in 1999 and 2000 and conducted peer review of the model in 1999. The original model did not cover the entire geographic scope of this TMDL. EPA is currently expanding the model to include the entire area and finalizing responses to comments received during the peer review.

Roles

EPA - Model development and peer review.

Plan and implement public participation;

States - Provide data on NPDES Discharges to the rivers;

Conduct internal reviews of modeling;

Support modeling through participation on technical committee;

Support public participation;

Tribes - Conduct internal reviews of modeling;

Support modeling through participation on technical committee;

Support public participation;

Required TMDL Elements

- Pollutant Source Analysis;
- Linkage Between Pollutant Loading and In stream Response;
- · Margin of Safety.
- · Seasonal variation;

Products and Schedule

- Final Report, "Columbia River Temperature Assessment: Simulation Methods" April 15, 2001.
- Peer Review Comments and Responses April 15, 2001.
- CD with the model and supporting documentation April 15, 2001.

Columbia/Snake River TMDL Work Plan: Page 7 **Draft/Pre-decisional/March 19, 2001**

- Paper on the use of a 1 dimensional model for the TMDL April 15, 2001.
- Simulations of water temperature to support development of the Problem Assessment, the Numerical Targets for the TMDL, the Loading Capacity and the Load and Waste Load Allocations May 15, 2001.
- Public Workshop on the Water Quality Modeling May/June, 2001

Problem Assessment:

Description

The Problem Assessment is intended to characterize the temperature regime of the mainstems of the Columbia and Snake Rivers and define the problems resulting from that altered regime. It will describe changes to the rivers due to power development: effects on stream width, depth, current and flow. It will describe the effects on stream temperature and ultimately on salmon. The spawning, rearing and migration of salmonids is the most sensitive use of the river to be protected by WQS for temperature. It is also the focus of Regional efforts to recover endangered salmon in the Snake and Columbia Rivers. Therefore, the Problem Assessment will discuss the effects of changes to the temperature regime of the rivers on salmon extensively. It will evaluate and discuss the tributaries as sources of heat to the mainstems. Further, it will evaluate and discuss the effects of NPDES dischargers and other sources of heat on the mainstems' temperature regimes. The problem assessment will set the stage for the TMDL to follow. It will identify the Scope of the TMDL. It will describe the mainstems as they are identified on the States; 303(d) lists. It will describe the point, nonpoint and natural sources of heat and it will describe the important characteristics of the watershed pertaining to temperature.

Roles

EPA - Write the Problem Assessment;.

Plan and implement public participation;

States - Conduct internal review of the assessment;

Participate on the technical committee;

Support public participation;

Tribes - Conduct internal review of the assessment;

Participate on the technical committee;

Support public participation;

Required TMDL Elements

· Scope of TMDL;

· Pollutant Source Analysis;

· Linkage Between Pollutant Loading and In stream Response;

- Written Problem Assessment for public review June 30, 2001.
- Public Workshop on the Problem Assessment and Numerical Targets July/August, 2001.

Numerical Targets Reach by Reach:

Description

Three states and two tribes have Water Quality Standards that pertain to the project area of this TMDL: Colville Confederated Tribes; Idaho, Oregon, Spokane Tribe of Indians and Washington. The standards vary by state and tribe and by river reach within states. Further, many of the standards are linked to human activities and require an analysis to determine the effect of human activities on temperature. Therefore, determination of the numerical targets of the TMDL reach by reach will be a significant technical exercise. We will develop it as a distinct piece of the TMDL and seek input from the public and affected groups.

Roles

EPA - Evaluate the effects of human activity on temperature;

Compare coextensive standards;

Recommend numerical targets for each reach;

Plan and implement public participation;

States - Provide and interpret WQS;

Work with EPA on evaluation and comparison of standards;

Determine the numerical targets within their jurisdictions;

Support public participation;

Tribes - Provide and interpret WQS;

Work with EPA on evaluation and comparison of standards;

Determine the numerical targets within their jurisdictions;

Support public participation;

Required TMDL Elements

Applicable Water Quality Standards and Numeric Targets.

- Written report on Numerical Targets for public review June 30, 2001.
- Public Workshop on the Problem Assessment and Numerical Targets July/August, 2001.

Loading Capacity and Allocations:

Description

This task will actually determine the loading capacity for heat, reach by reach and allocate that capacity. In reaches governed by standards that prohibit heat inputs from human activity, the load to allocate will be the same as the capacity. In some cases the standards allow some increase over natural temperatures and that increase will be the load available to allocate. Initially we will develop a draft allocation and engage in discussions with affected groups. As part of this work plan EPA is developing a Communication and Collaboration Plan (See Item VI) that will outline how we will work with users of the river that are potentially affected by the load allocations. Interested groups include Tribes, NPDES Dischargers, Public Utility Districts, Federal Dam Operators, Forestry Groups, Agricultural Interests, Recreation Interests, Municipalities and many more. EPA will meet informally with any of these groups to share information and receive input. We will also schedule workshops to review the products included in this work plan as they are developed and formal public meetings and a comment period on the draft TMDL. Throughout the process we will be as responsive as possible to requests for information, meetings, workshops, etc.

<u>Roles</u>

EPA - Develop the loading capacity of each reach;

With the states and tribes develop the load and wasteload allocations;

Plan and implement public participation;

States - With the tribes and EPA develop the load and wasteload allocations;

Support public participation;

Tribes - With the states and EPA develop the load and wasteload allocations;

Support public participation;

Required TMDL Elements

- · Loading Capacity;
- · Wasteload Allocations;
- · Load Allocations;
- · Margin of Safety;
- · Seasonal variation.

- Written report on Loading Capacity and Allocations for public review September 1, 2001.
- Public Workshop on the Loading Capacity and Allocations Sept/October,
 2001

State Implementation Plan

Description

The most important part of a TMDL is its implementation. The TMDL itself is only paper and does little to improve water quality. So it is important to develop a TMDL that can be achieved in the water shed through the implementation of controls to limit the pollution loads entering the water body. Our intent is to accomplish this by developing an implementation plan hand in hand with the TMDL. The specific users of the river who contribute to the heat load of the river will be key partners. We will rely on them to help us develop real measures to mitigate the heat load as appropriate from each source. In places, we may have to think in terms of mitigating the effects of the heat load in lieu of removing the source itself. Once measures have been developed, They will be implemented through existing mechanisms such as NPDES permits, FERC Licenses, State and Tribal Water Quality Certifications, Biological Opinions, etc. This implementation plan will include monitoring to ensure measures have been implemented, to evaluate the effectiveness of the measures and to measure the progress made toward achieving water quality standards. It will include measures and mechanisms for their implementation that will lead to a finding of reasonable assuredness for implementation of the TMDL.

Roles

States Tribes EPA

All three entities will work with industries, other users of the rivers, FERC, NMFS and FWS to develop an implementation plan.

All three will jointly engage in public participation on the plan.

Required TMDL Elements

- · Monitoring Plan;
- · Implementation Plan;
- · Reasonable assurance (if the WLAs depend on LAs);

- Written State Implementation Plan for public review October 1, 2001.
- Public Workshop on the State Implementation Plan November/December,
 2001

Public Participation

Description

EPA and the states and tribes plan to communicate and collaborate with the general public and specific interested groups throughout the TMDL development process. To that end we are developing a Communication ans Collaboration Strategy. It will include:

- a discussion of the background leading to development of a TMDL;
- the key messages we want to deliver to the public at the beginning of the process;
- · a list of potentially interested groups;
- · a description of the work necessary to develop the TMDL;
- · a detailed communication and coordination strategy;
- · a running list of meetings and workshops held; and
- · a list of technical contacts.

Roles

EPA - Lead for communication and collaboration on TMDL; States - Support communication and collaboration on TMDL; Tribes - Support communication and collaboration on TMDL;

Required TMDL Elements

· Public Participation.

Products and Schedule

• Written Communication and Collaboration Strategy - March 15, 2001.

Communication and Collaboration To Date

- · Columbia River Tribal TMDL Workshop, November 17-18, 2000, Spokane;
- · TMDL Workshop (open to public), November 28, 2000, Portland;
- · Meeting with the Corps, BoR and BPA, January 12, 2001, Portland;
- Presentation to NMFS Implementation Team, January 11 and February 8, 2001;
- · Presentation to the Water Quality Team, January 16, 2001, Portland;
- Meeting with the Corps, BoR and BPA, January 30, 2001, Portland;
- Meeting with Grant County PUD, February 2, 2001, Seatac;
- Meeting with Mid-Columbia PUDs, February 14, 2001, Wenatchee;
- Presentation to the North West Pulp and Paper Association River Mills Task Force, February 27, 2001, Portland;
- Presentation to the Columbia Basin Project Water Quality MOU Oversight Panel (Irrigation Districts, BoR, USGS, Ecology, and EPA) March 9, 2001, Pasco;
- · Meeting with Mid-Columbia PUDs and Ecology, February 14, 2001, Seatac;
- · Monthly updates and discussion with the Water Quality Team, Portland.